



QPI-6330-V2811

630TVL, 35m IR, 2.8 ~11mm VF Lens, IP66

- 630TVL
- 2.8 ~11mm VF Lens
- 35m IR
- IR Intelligence
- IP66



Features :

- 1/3" Sony Interline Transfer CCD
- 630TVL Hi-Resolution
- IR Intelligence
- 3D-DNR(Digital Noise Reduction)
- Sense-up with DSS(Digital Slow Shutter)
- DWDR(Digital Wide Dynamic Range)
- 36Nos of IR LED(Viewable Length : 35m)
- Low Power Consumption(110mA/Color, 650mA/LED ON)
- 2.8 ~11mm Vari Focal Lens
- DC 12V operation
- External Focus adjustment
- IP-66 Waterproof

Specification :

MODEL	QPI-6330-V2811
Image Sensor	1/3" Sony Interline Transfer CCD
Effective Pixels	752H x 582V (440K pixels)
Lens	2.8 ~11 mm Vari Focal Lens
Scanning System	625 Lines 2.1 Interlace
Scanning Frequency	15.625KHz(H), 50Hz (V)
Resolution	630TV Lines (color),700TV Lines(B&W)
Shutter Speed	1/50 ~ 1/100,000sec
S/N Ratio	More than 48dB (AGC Off)
Sync.System	Internal
Min.Illumination	0 Lux with IR LED (36 pcs)
Video Output	CVBS : 1.0Vp-p (75 ohm Load)
Power Supply	DC 12V±10%
Power Consumption	110mA (DC 12V)/650mA(IR LED ON)
Operating Temperature	-10 °C ~ +50 °C
Operating Humidity	90% RH max